

**AGGREGATE EQUIPMENT SALES  
MARION PRICE LIST SEPT 10-05**

Prices are net:  
FOB Centralia,  
WA, USA

It is our intention that our prices be at least 40% less than the manufacturer's and in many cases much more. Should you find a part where we are higher than this let us know and we will adjust the price.

Where noted POR our pricing is incomplete Call and negotiate a price.

| <u>Part #</u> | <u>Detail of Change</u> | <u>Parts Page</u> | <u>Description</u>                     | <u>Qty</u> | <u>Net Price</u> |
|---------------|-------------------------|-------------------|--|------------|------------------|
| 51254         | REPLACES 58G42-228      |                   | ROTO SEAL                              | 5          | 102.06           |
| 260546        |                         |                   | COIL FOR T E MAGNET VALVE              | 2          | 288.37           |
| 3040301G1     |                         |                   | OPERATING COIL FOR TE19A4-120V         | 2          | 234.35           |
| 303495        | INACTIVE; USE 603315-6  |                   | FRICITION BLOCKS                       |            |                  |
| 410121        |                         | RL5850            | AIR CYLINDER                           | 2          | 733.86           |
| 501913        | REPLACES 621C164        | 18G80B            | PINION                                 | 2          | 4,751.97         |
| 603315-6      | REPLACES 303495         |                   | FRICITION BLOCKS                       | 4          | 159.16           |
| 670774        | REPLACES 79F553         | 154G247A          | BEARING SHIELD                         | 1          | 242.95           |
| 670782        | REPLACES 95F211         | 154G247A          | SHAFT & PINION, 1ST INTERMEDIATE       | 1          | 2,094.69         |
| 683868        | REPLACES 329C134        | 122G313C          | GEAR, BEVEL, 4TH INTERMEDIATE PROPEL   | 1          | 6,881.95         |
| 723665        | REPLACES 329C139        | 28G58E            | GEAR, BEVEL, 2ND INTERMEDIATE PROPEL   | 1          | 10,770.29        |
| 1010026       | REPLACES 680C30         | 122G453           | PINION, INTERMEDIATE HOIST SHAFT       | 1          | 4,669.97         |
| 1053493       | REPLACES 329C130A       | 122G318E          | PINION, BEVEL, 1ST INTERMEDIATE PROPEL | 1          | 7,141.44         |
| 2073251       | REPLACES 665C16         | 60G182            | GEAR, HOIST DRUM                       | 1          | 28,325.99        |
| 8F131         |                         | 57G150            | HOIST BRAKE BAND                       | 2          | 848.19           |
| 8F134A        |                         |                   | BRAKE BAND( 3 Pieces)                  | 1          | 600.00           |
| 58G42-228     | INACTIVE; USE 051254    |                   | ROTO SEAL                              |            |                  |
| 61G47         |                         | 201G52            | CYLINDER,PROPEL BRAKE,61G47            | 1          | 539.99           |
| 61G47-49      |                         | 61G47             | PACKING DASH                           | 5          | 185.04           |
| 72F74APA1     |                         | 61G47             | ROD, PISTON                            | 1          | 655.91           |
| 79F1010       |                         |                   | RETAINER                               | 4          | 123.19           |
| 79F529B       |                         |                   | SPACER-GREASE RET.                     | 2          | 114.32           |
| 79F552A       |                         | 123G85A           | RETAINER                               | 1          | 154.93           |
| 79F553        | INACTIVE; USE 0670774   | 154G247A          | BEARING SHIELD                         |            |                  |
| 81F135A       |                         | 118G57            | ROLLER,HOUSE                           | 2          | 248.41           |
| 93F102        |                         |                   | SHAFT                                  | 1          | POR              |
| 93F204        | 1 NEW/1 USED            | 122G318E          | SHAFT,1ST INTERM. PROPEL               | 2          | POR              |
| 93F205        |                         | 122G313C          | SHAFT,4TH INT. PROPEL                  | 1          | 5,582.37         |
| 93F209        |                         |                   | SHAFT                                  | 1          | POR              |
| 94F102        |                         |                   | SHAFT                                  | 1          | 2,899.15         |
| 94F171        |                         | 122G389A          | SHAFT, 3RD INT. PROPEL                 | 1          | 3,415.20         |
| 94F78B        | INACTIVE; USE 94F78C    | 45G56             | SHAFT,TUMBLER DRIVE                    |            |                  |
| 94F78C        | REPLACES 94F78B         | 45G56             | SHAFT,TUMBLER DRIVE                    | 1          | 8,098.48         |
| 94G102-13     |                         | 94G102C           | NUT,MOTOR                              | 1          | 299.00           |
| 94G73-12      | INACTIVE; USE 0310581   |                   | JAM NUT                                |            |                  |
| 95F210        | Rebuild not Done??      | 123G85A           | SHAFT                                  | 1          | 2,343.73         |
| 95F211        | INACTIVE; USE 0670782   | 154G247A          | SHAFT & PINION, 1ST INTERM             |            |                  |
| 98F80         |                         | 18G80B            | SHAFT,SHIPPER                          | 2          | 5,830.07         |

**AGGREGATE EQUIPMENT SALES  
MARION PRICE LIST    SEPT 10-05**

| <u>Part #</u> | <u>Detail of Change</u> | <u>Parts Page</u> | <u>Description</u>                   | <u>Qty</u> | <u>Net Price</u> |
|---------------|-------------------------|-------------------|--------------------------------------|------------|------------------|
| 135F162       |                         | 18G80B            | COLLAR,SHIPPER SHAFT                 | 1          | 95.96            |
| 135F162A      |                         | 18G80B            | COLLAR,SHIPPER SHAFT                 | 1          | 131.05           |
| 137F77        |                         | 28G58E            | SHAFT,2ND INT. PROPEL                | 1          | 4,837.50         |
| 139B41        |                         | 250G42            | BUSHING, FLANGED                     | 1          | 539.65           |
| 139B41-O.S.   |                         | 250G42            | BUSHING, FLANGED (10-1/8"O.D.)       | 2          | 649.30           |
| 139B42        |                         | 15G243D&E         | BUSHING,FLANGED,SHIPPER SHAFT,1/4"OS | 1          | 877.11           |
| 139F156       |                         | 122G434           | SLEEVE ( MPC 085266-0 )              | 1          | 471.25           |
| 140B14        |                         | 15G243 D&E        | BUSHING,FLANGED,SHIPPERSHAFT,1/4" OS | 1          | 950.81           |
| 140B15A       |                         | 252G55A           | BUSHING,CENTER PIN,191M              | 1          | 2,863.80         |
| 142B8A        |                         | 250G42            | BUSHING, SHOULDER                    | 1          | 105.70           |
| 143B108       |                         | 28G58E            | BUSHING,SHOULDER                     | 3          | 271.86           |
| 143B120       |                         | 250G42            | BUSHING, SHOULDER                    | 1          | 143.25           |
| 145B116       |                         | 251G110           | BUSHING, SHOULDER                    | 1          | 634.02           |
| 146B992       |                         | 118G57            | BUSHING,HOUSE ROLLER                 | 6          | 16.36            |
| 147CF131      |                         | 54G355            | BUSHING,STICK,DIPPER END             | 2          | 298.08           |
| 147CF238D     |                         |                   | BUSHING                              | 4          | 95.63            |
| 147CF240      |                         | 125G96B           | FULL BUSHING                         | 1          | 193.80           |
| 147CF279A     |                         | 54G355            | BUSHING,STICK,DIPPER END             | 4          | 124.56           |
| 148B152       |                         | 44G46             | BUSHING,OVERSIZE,9.250 O.D.          | 4          | 307.25           |
| 148B153       |                         | 38G136            | BUSHING,GROUND ROLLER                | 9          | 199.84           |
| 148B177       |                         | 122G434           | BUSHING                              | 1          | 199.96           |
| 148CF155A     |                         | 15G243D&E         | BUSHING,BOOM FOOT                    | 2          | 300.00           |
| 149B108       |                         | 18G80B            | BUSHING                              | 2          | 172.31           |
| 149B78A       |                         | 251G110           | BUSHING - GROUP                      | 1          | 330.57           |
| 149B79A       |                         | 251G110           | BUSHING                              | 4          | 502.92           |
| 149B81        |                         | 18G80B            | BUSHING                              | 2          | 230.44           |
| 149B89        |                         |                   | BUSHING                              | 2          | 153.73           |
| 149G79-34     |                         | 149G79            | SPACER                               | 40         | 24.86            |
| 150G122       |                         | 150G122           | BOOM LIMIT SWITCH COMP.              | 1          | 242.55           |
| 150G44        |                         | 149G79            | BRUSHHOLDER                          | 5          | 124.70           |
| 152F251       |                         | 118G57            | ROLLER CIRCLE,INNER                  | 1          | POR              |
| 163F80        |                         | 122G318E          | SPACER                               | 1          | 167.70           |
| 163F81        |                         | 122G318E          | SPACER                               | 2          | 278.83           |
| 163F82        |                         | 122G318E          | SPACER                               | 1          | 183.83           |
| 163F82A       |                         | 122G318E          | SPACER                               | 1          | 142.98           |
| 164F10        | REPLACES 125912A        |                   | CONTACT SHOE, BRUSH                  | 6          | 81.00            |
| 169B22        |                         | 250G42            | BUSHING, HALF                        | 2          | 217.15           |
| 169B23        |                         | 250G42            | BUSHING, HALF                        | 2          | 203.18           |
| 169B65        |                         | 251G110           | BUSHING, HALF                        | 1          | 220.05           |
| 169B66        |                         | 251G110           | BUSHING, HALF                        | 1          | 189.88           |
| 188C10PA1     |                         | 251G110           | CAP                                  | 1          | 5,309.00         |
| 200J143       |                         | 28G58E            | NUT,2ND INTERM. PROPEL               | 2          | 1,501.47         |
| 200J215       |                         |                   | NUT                                  | 3          | 140.68           |
| 231-20-1      |                         |                   | TUBE                                 | 2          | 544.95           |
| 232P90        |                         |                   | PIN                                  | 2          | 100.00           |
| 236D91        | INACTIVE; USE 236D91PA1 | 122G318E          | COLLAR                               |            |                  |
| 236D91PA1     | REPLACES 236D91         | 122G318E          | COLLAR                               | 1          | 1,166.00         |
| 237CF258      |                         | 18G80B            | SPLIT COLLAR,SHIPPER SHAFT           | 4          | 600.00           |

**AGGREGATE EQUIPMENT SALES  
MARION PRICE LIST    SEPT 10-05**

| <u>Part #</u> | <u>Detail of Change</u>   | <u>Parts Page</u> | <u>Description</u>                      | <u>Qty</u> | <u>Net Price</u> |
|---------------|---------------------------|-------------------|---|------------|------------------|
| 239B120A      |                           | 28G58E            | THRUST COLLAR                           | 1          | 511.74           |
| 239B121       |                           | 28G58E            | THRUST COLLAR                           | 0          | 236.62           |
| 329C130A      | INACTIVE; USE 1053493     | 122G318E          | PINION, BEVEL, 1ST INTERMEDIATE PROPEL, |            |                  |
| 329C132       |                           | 28G58E            | PINION,BEVEL,2ND INT. PROPEL            | 0          | 3,235.00         |
| 329C133       |                           | 122G389A          | BEVEL PINION,3RD INTERM.                | 2          | 3,695.28         |
| 329C134       | INACTIVE; USE 0683868     | 122G313C          | GEAR, BEVEL, 4TH INTERMEDIATE PROPEL    |            |                  |
| 329C139       | INACTIVE; USE 0723665     | 28G58E            | GEAR, BEVEL, 2ND INTERMEDIATE PROPEL    |            |                  |
| 329C144A      | INACTIVE; USE 372CF61     | 122G389A          | BEVEL GEAR                              |            |                  |
| 329CF140APA1  | REFER TO 329C13           | 28G58E            | GEAR, BEVEL, 2ND INTERMEDIATE PROPEL    |            |                  |
| 348C18        |                           | 122G453           | GEAR,HOIST INTERMEDIATE                 | 1          | 32,202.91        |
| 351CF7        |                           | 122G318E          | GEAR,INTERNAL                           | 1          | 2,395.60         |
| 352C453       |                           | 123G85A           | R.H. HELIX GEAR                         | 1          | 10,629.92        |
| 352C454       |                           | 154G247A          | GEAR                                    | 1          | 6,345.28         |
| 352CF490      |                           | 94G102C           | MOTOR PINION,SWING                      | 1          | 1,082.64         |
| 358C5         |                           |                   | GEAR-HELIX 30"OS DIA14 3/8 WIDE         | 1          | POR              |
| 362C56        |                           | 122G389A          | SPUR GEAR,(COMB. GEAR)                  | 1          | POR              |
| 372C66        |                           | 122G314           | PINION,SPUR                             | 1          | 2,956.25         |
| 372CF61       | REPLACES 329C144A         | 122G389A          | BEVEL GEAR                              | 1          | 4,783.75         |
| 372CF65       | INACTIVE; USE 372CF61     | 122G389A          | BEVEL GEAR                              |            |                  |
| 384C21        | +2 IN LD10 WITH SIFFIX 22 | 45G56             | GEAR,TUMBLER DRIVE                      | 1          | 8,000.00         |
| 391C235       |                           | 56G109            | GEAR,DIPPER TRIP                        | 1          | 1,690.18         |
| 391CF241      |                           | 122G318E          | GEAR,SLIDING                            | 1          | 1,843.12         |
| 409113ND      |                           | RL5850            | BRAKE SHOE,SW & CRO,MALE END INCL       | 2          | 33.55            |
| 409114ND      |                           | RL5850            | BRAKE SHOE,SW & CRO,FEM END,INCL        | 2          | 33.55            |
| 426C373       |                           | 122G453           | BEARING HOUSING HOIST DRUM              | 1          | 360.46           |
| 426CF219      |                           | 122G318E          | HOUSING,BEARING                         | 1          | 3,926.98         |
| 429CF61       |                           | 60G182            | SPIDER, HUB/DRUM                        | 1          | 28,794.12        |
| 452CF69       |                           | 13G39D            | ADJUSTING NUT,POINT SHEAVE              | 3          | POR              |
| 499C135       |                           | 38G136            | GROUND ROLLER                           | 3          | 1,490.67         |
| 512P14        |                           |                   | PIN                                     | 5          | POR              |
| 520CF27PA1    |                           | 125G149A          | SHEAVE, CABLE                           | 2          | 218.36           |
| 539CF84       | INACTIVE; USE 539CF84PA2  | 201G52D           | SHOE                                    |            |                  |
| 539CF84PA2    | REPLACES 539CF84          | 201G52D           | SHOE                                    | 3          | 178.88           |
| 539CF84PA3    | INACTIVE; USE 539CF84PA2  | 201G52D           | SHOE                                    |            |                  |
| 541D34        |                           |                   | SHOE SLIDE                              | 3          | 81.62            |
| 545CF170      |                           |                   | SLEEVE                                  | 1          | 300.00           |
| 562CF19       |                           | 118G57            | SPACER,HOUSE ROLLER                     | 34         | POR              |
| 562CF19A      |                           | 118G57            | SPACER,HOUSE ROLLER                     | 34         | POR              |
| 591B113       |                           | 122G390B          | WASHER                                  | 2          | POR              |
| 593B287       |                           | 122G313C          | WASHER,THRUST                           | 1          | 238.90           |
| 593B384A      |                           | 18G80B            | WASHER,THRUST,SHIPPER SHAFT             | 2          | 284.15           |
| 598C190       |                           | 122G390B          | WHEEL, BRAKE                            | 1          | 2,150.00         |
| 610H36B       | INACTIVE; USE 610H36BPA1  |                   | BOLT, SPECIAL                           |            |                  |
| 610H36BPA1    | REPLACES 610H36B          |                   | BOLT, SPECIAL                           | 12         | 71.77            |
| 615D152       |                           | 13G39D            | RETAINER,POINT SHEAVE                   | 6          | 400.00           |
| 620H92PA1     |                           |                   | BOLT                                    | 13         | 35.57            |
| 621C164       | INACTIVE; USE 0501913     | 18G80B            | PINION                                  |            |                  |
| 645CF311      |                           | 122G318E          | RET. RING,1ST INT. PROPEL               | 1          | 217.28           |

**AGGREGATE EQUIPMENT SALES  
MARION PRICE LIST    SEPT 10-05**

| <u>Part #</u> | <u>Detail of Change</u> | <u>Parts Page</u> | <u>Description</u>               | <u>Qty</u> | <u>Net Price</u> |
|---------------|-------------------------|-------------------|----------------------------------|------------|------------------|
| 645CF312      |                         | 122G318E          | RETAINER                         | 1          | 154.51           |
| 645CF313      |                         | 122G318E          | RING,RETAINING                   | 1          | 427.68           |
| 645CF313A     |                         | 122G318E          | RING,RETAINING                   | 2          | 472.99           |
| 645CF321      |                         | 122G318E          | RETAINER,BEARING                 | 2          | 616.82           |
| 645CF322      |                         | 122G318E          | RETAINER,BEARING                 | 1          | 367.01           |
| 653CF56       |                         | 156G81            | PINION, HOIST MOTOR              | 1          | 3,633.00         |
| 665C16        | INACTIVE; USE 2073251   | 60G182            | GEAR, HOIST DRUM                 |            |                  |
| 680C30        | INACTIVE; USE 1010026   | 122G453           | PINION, INTERMEDIATE HOIST SHAFT |            |                  |
| 682C76        |                         | 18G80B            | GEAR,CROWD                       | 1          | 13,754.63        |
| 682CF82       | 1 NEW 1 USED            | 122G434           | INT. CROWD SHAFT PINION          | 2          | 1,500.00         |
| 688CF39       |                         | 94G129B           | PINION,CROWD MOTOR               | 1          | 931.12           |
| 692C54C       |                         | 122G434           | GEAR, 1ST INT. CROWD             | 1          | 5,000.00         |
| 926P1168B     |                         | 38G136            | PIN,ADJUSTING                    | 3          | POR              |
| 926P1283B     |                         |                   | PIN, MISC.                       | 1          | 1,123.15         |
| 926P1450      |                         | 125G149A          | PIN, MISC.                       | 2          | 8.18             |
| 926P1674B     |                         |                   | PIN                              | 4          | POR              |
| 926P1674C     |                         |                   | PIN                              | 2          | POR              |
| 926P925-1PA1  |                         |                   | PIN, MISC.                       | 1          | 1,229.80         |
| 940R6B        |                         |                   | ROD                              | 1          | 109.00           |
| 940R6BPA1     |                         |                   | ROD, ROUGH                       | 2          | POR              |
| 950P110       |                         |                   | PIN                              | 2          | POR              |
| 960P54        |                         |                   | TRACK PIN, MARION 191M           | 8          | POR              |
| A236D69       |                         |                   | CLUTCH COLLAR                    | 4          | 200.88           |
| A66           | INACTIVE; USE A84-6X6   | 87G340            | CYLINDER,AIR                     |            |                  |
| A84           | INACTIVE; USE A84-4X4   |                   | CYLINDER BORE 4 X 4 STROKE       |            |                  |
| A84-4X2       |                         | 87G345            | CYLINDER,AIR                     | 1          | 266.08           |
| A84-4X4       | REPLACES A-84           |                   | CYLINDER BORE 4 X 4 STROKE       | 4          | 35.04            |
| A84-6X6       | REPLACES A66            | 87G340            | CYLINDER,AIR                     | 3          | 449.35           |
| A84-6X7       |                         |                   | CYLINDER/AIR                     | 1          | 424.46           |
| A84-8X6       |                         |                   | CYLINDER / AIR                   | 2          | 67.02            |
| AA1106-2      |                         | 150G122           | BUSHING                          | 1          | POR              |
| S2104-6       | INACTIVE; USE 0402087   | 201G52D           | BUSHING,OILITE                   |            |                  |
| 8 IN X 17 IN  |                         |                   | BUMPER BLOCK                     | 15         | 200.00           |
| RL5436        | INACTIVE; USE 051254    |                   | ROTO SEAL                        |            |                  |
| 17-025-012    | INACTIVE; USE 042431-5  | RL5775            | ROTOSEAL,129X2 SIZE B2           |            |                  |
| 042431-5      |                         | RL 5775           | ROTOSEAL,129X2 SIZE B2           | 2          | 74.84            |
| 125912A       | INACTIVE; USE 164F10    |                   | CONTACT SHOE, BRUSH              |            |                  |
| MC79          |                         |                   | AIRTUBE DISC CLUTCH              | 2          | 1,760.37         |
| MC60          |                         |                   | FLEX COUPLING                    | 6          | 2,571.30         |
| TDP5050       |                         | 1G118             | AIR COMPRESSOR                   | 2          | 1,217.68         |
| TE19          |                         |                   | VALVE                            | 5          | 967.73           |
| TE28A4        |                         |                   | VALVE-MAGNET125                  | 2          | 797.10           |
| WM292A        |                         |                   | VALVE-WILLIAMS                   | 2          | 900.00           |